

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L3	287	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L4	78	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L5	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L6	211	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L7	419	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L8	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L9	256	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L10	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L11	222	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L12	12	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L13	20216	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L14	2190	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L15	31	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L16	63	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L17	228	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L18	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L19	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L20	1958	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L21	1159	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L22	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L23	6133	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L24	1782	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L25	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L26	287	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L27	78	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L28	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L29	211	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L30	419	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L31	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L32	256	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L33	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L34	222	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L35	12	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L36	20216	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L37	2190	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L38	31	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L39	63	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L40	228	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L41	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L42	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L43	1958	(matrix matrice) near5 (correspond\$3 respect\$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L44	1159	(matrix matrice) near5 (correspond\$3 respect\$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L45	26	(matrix matrice) near5 (correspond\$3 respect\$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L46	6133	(matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L47	1782	(matrix matrice pattern) near5 (correspond\$3 respect\$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L48	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L49	287	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L50	78	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L51	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L52	211	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L53	419	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L54	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L55	256	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L56	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L57	222	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near\$3 color and (reduc\$3 decreas\$3) near\$4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L58	12	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L59	20216	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L60	2190	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L61	31	(decreas\$3 reduc\$3) near\$4 bit with (row and column) near\$5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L62	63	(decreas\$3 reduc\$3) near\$4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L63	228	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L64	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L65	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L66	1958	(matrix matrice) near\$5 (correspond\$3 respect\$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L67	1159	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L68	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L69	6133	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L70	1782	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L71	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L72	287	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L73	78	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L74	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L75	211	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L76	419	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45



L77	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L78	256	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L79	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L80	222	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L81	12	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L82	20216	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L83	2190	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L84	31	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L85	63	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L86	228	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L87	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L88	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L89	1958	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L90	1159	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L91	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and halfton\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L92	6133	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L93	1782	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L94	118431	(restor\$3 recover\$3 reconstruct\$3) with (color image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L95	955	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45

L96	2	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L97	100	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half ton \$3 pattern dither\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L98	7	"7262879"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L99	5	"7233414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
L100	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/27 11:45
S1	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 13:40
S2	266	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:05
S3	68	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:06
S4	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:10
S5	192	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:25

S6	356	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 15:43
S7	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 19:35
S8	214	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/08 18:09
S9	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/08 18:09
S10	188	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/08 18:21
S11	11	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 08:16
S12	18651	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:38
S13	2057	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:39
S14	29	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:45

S15	59	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:53
S16	212	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:55
S17	16	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:58
S18	36	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/09 15:59
S19	1775	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:54
S20	1057	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:55
S21	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:55
S22	5642	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:56
S23	1604	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 18:56
S24	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34

S25	266	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S26	68	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S27	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S28	192	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S29	356	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S30	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S31	214	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S32	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S33	188	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34

S34	11	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S35	18670	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S36	2059	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S37	29	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S38	59	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S39	212	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S40	16	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S41	36	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S42	1775	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S43	1057	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34

S44	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S45	5642	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S46	1604	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/11 16:34
S47	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S48	273	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S49	73	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S50	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S51	200	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S52	386	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S53	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51



S54	234	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S55	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S56	203	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc\$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S57	11	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S58	19483	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S59	2127	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S60	30	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S61	62	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S62	223	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51

S63	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S64	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S65	1861	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S66	1100	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S67	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S68	5897	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S69	1706	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S70	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S71	273	(recombin\$3 restor\$3) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S72	73	(recombin\$3 restor\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51

S73	2	"20070279656"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S74	200	(recombin\$3 restor\$3 decompress\$3) with full near3 color and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S75	386	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S76	2	"20070279657"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S77	234	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S78	4	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) with color near2 level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S79	203	(recombin\$3 restor\$3 decompress\$3 interpolat\$3) with (dot pixel pattern) with full near3 color and (reduc \$3 decreas\$3) near4 color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S80	11	"6650773"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S81	19483	(row and column) with (array matrix matrice) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51

S82	2127	(row and column) with (array matrix matrice) with bit and scan\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S83	30	(decreas\$3 reduc\$3) near4 bit with (row and column) near5 (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S84	62	(decreas\$3 reduc\$3) near4 bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S85	223	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S86	17	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and scan \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S87	38	(decreas\$3 reduc\$3) with bit with (row and column) with (matrix matrice array) and (scan\$4 print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S88	1861	(matrix matrice) near5 (correspond\$3 respect \$3) with bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S89	1100	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S90	26	(matrix matrice) near5 (correspond\$3 respect \$3) near4 bit and half\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S91	5897	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51

S92	1706	(matrix matrice pattern) near5 (correspond\$3 respect \$3) near4 bit and (noise artifact)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/13 13:51
S93	116045	(restor\$3 recover\$3 reconstruct\$3) with (color image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/15 09:36
S94	939	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/15 09:37
S95	2	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) and 358/3.26. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/15 09:49
S96	97	(restor\$3 recover\$3 reconstruct\$3) with (full adj color full adj image) same (half-ton \$3 pattern dither\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/08/15 09:52
S97	6	"7262879"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/02 13:55
S98	5	"7233414"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/22 12:38
S99	2	"20040085591"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/26 18:48

10/ 27/ 2010 11:51:43 AM

C:\Documents and Settings\qvo1\My Documents\ EAST\ Workspaces\ 10695327.wsp